

Exercise #10

(範圍: Graph Theory)

1. Build a BFS spanning tree and a DFS spanning tree of the graph G_1 in Figure 11.42, where it is assumed that vertex a is the root and the priorities of the other vertices to be branched or visited are $b > c > d > e > f > g > h$. (20%)
2. Suppose that (u, v) is an edge of a graph G and it has the least cost among all edges that are incident to vertex v . Does every minimum spanning tree contain (u, v) (a) when all edges have distinct costs or (b) when multiple edges may have the same cost? Explain your answer. (20%)
3. Is it possible to obtain a maximum-cost spanning tree of a weighted graph G by modifying Kruskal's algorithm? (10%)
4. Consider the graph of Figure 11.54(a) and assign its edges with costs as follows: $c(a, b) = 62$, $c(a, d) = 37$, $c(a, h) = 45$, $c(b, c) = 19$, $c(b, g) = 28$, $c(c, d) = 70$, $c(c, f) = 53$, $c(d, e) = 81$, $c(e, f) = 15$, $c(e, h) = 40$, $c(f, g) = 39$, and $c(g, h) = 11$. What is the edge sequence obtained by executing Prim's MST algorithm on the weighted graph with starting vertex a ? (10%)
5. For the graph of Figure 12.39(a), first compute $DFN(i)$ and $L(i)$ for each vertex i with the following assumptions when building a DFS spanning tree: vertex c is the root and the priorities of the other vertices to be visited are $a > b > d > e > f > g > h > i$, and then find all articulation points and bridges accordingly. (10%)
6. P. 621: 4 (only for (b)). (10%)
7. Let $k_v(G)$ and $k_e(G)$ represent the vertex connectivity and edge connectivity, respectively, of a graph G . (a) Show $k_v(G) \leq k_e(G)$. (b) Give an example of $k_v(G) < k_e(G)$. (20%)